

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2121	(data near2 rate\$2) with range\$2 @ad<="20030807" transmission near4 rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/24 15:24
L2	58	@ad<="20030807" (incremental near4 transmission) with rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/24 15:24
L3	1	@ad<="20030807" (incremental near4 transmission) with rate\$2 ten with time\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/24 15:35
L4	0	@ad<="20030807" (incremental near2 transmission) with rate\$2 spac\$4 with register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/24 15:35
L5	10	@ad<="20030807" (incremental near4 transmission) with rate\$2 370/229,230,230.1,231,235,252,253,469.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/24 15:39

L6	3	@ad<="20030807" (incremental near4 transmission) with rate\$2 375/231,232,340.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/24 15:40
L7	25	@rlad<="20030807" (incremental near4 transmission) with rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/24 15:40
L8	17	@prad<="20030807" (incremental near4 transmission) with rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/05/24 15:40
S1	0	@ad="20030807" increment\$4 same rate variable with resolution	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:48
S2	16	@ad="20030807" increment\$4 same rate	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:37
S3	1	@ad="20030807" increment\$4 same rate port	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:38
S4	0	@ad="20030807" increment\$4 same transmission same rate port	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:50
S5	0	@ad="20030807" increment\$4 same transmission port	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:51
S6	3	@ad="20030807" increment\$4 same transmission	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:39
S7	0	@ad="20030807" transmission same rate port increment \$4	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:39
S8	1	@ad="20030807" transmi\$4 same rate port increment\$4	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:39

S9	12	@ad= "20030807" transmi\$4 same rate increment\$4	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:40
S10	9	@ad= "20030807" transmi\$4 with rate increment\$4	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:42
S11	0	@ad= "20030807" data with rate variable same resolution	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:42
S12	6	@ad= "20030807" data with rate variable resolution	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:43
S13	19	@ad= "20030807" data with rate variable transmission	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:43
S14	4	@ad= "20030807" data with rate variable same transmission	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:44
S15	0	@ad= "20030807" switch (segmented near3 rate) same control	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:44
S16	0	@ad= "20030807" switch (segmented with rate) same control	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:50
S17	0	@ad= "20030807" switch (segmented same rate) same control	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:45
S18	1	@ad= "20030807" switch segmented same rate	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:45
S19	3	hou-cheng-liang.in.	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:45
S20	2	@ad= "20030807" variable same (data near3 rate)	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:47
S21	0	@ad= "20030807" variable with (data near3 rate)	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:48
S22	0	@ad= "20030807" adjustable with (data near3 rate)	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:48
S23	599	@ad<= "20030807" increment\$4 same transmission same rate port	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:50
S24	70	@ad<= "20030807" switch (segmented with rate) same control	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:50

S25	33	@ad<="20030807" switch (segmented with rate) with control port	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:53
S26	17	@ad<="20030807" switch (segmented with rate) with control port "370"/\$.ccls.	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:51
S27	0	@ad<="20030807" switch (segmented adj rate) with control port "370"/\$.ccls.	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:51
S28	0	@ad<="20030807" switch (segmented adj rate) with control port	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:51
S29	0	@ad<="20030807" switch (segmented adj rate) same control port	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:51
S30	1152	@ad<="20030807" (rate with control) same increment\$4 variable with rate	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:55
S31	421	@ad<="20030807" (rate with control) same increment\$4 (rate adj control) same (system or register)	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:56
S32	301	@ad<="20030807" (rate with control) same increment\$4 (rate adj control) with (system or register or engine)	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:56
S33	148	@ad<="20030807" (rate with control) with increment\$4 (rate adj control) with (system or register or engine)	US-PGPUB; USPAT	AND	OFF	2007/04/13 13:56
S34	82	@ad<="20030807" (rate near3 control) with increment\$4 (rate adj control) with (system or register or engine)	US-PGPUB; USPAT	AND	OFF	2007/04/13 14:04
S35	2	@ad<="20030807" (rate near3 control) with increment\$4 (rate adj control) adj engine	US-PGPUB; USPAT	AND	OFF	2007/04/13 14:05
S36	0	@ad<="20030807" (rate near3 control) with increment\$4 (rate adj control) adj register	US-PGPUB; USPAT	AND	OFF	2007/04/13 14:05
S37	601	@ad<="20030807" (rate near3 control) with increment\$4	US-PGPUB; USPAT	AND	OFF	2007/04/13 14:05
S38	10	@ad<="20030807" (rate near3 control) with increment\$4 variable same (data adj rate)	US-PGPUB; USPAT	AND	OFF	2007/04/13 14:08
S39	470	@ad<="20030807" (rate adj control) variable same (data adj rate)	US-PGPUB; USPAT	AND	OFF	2007/04/13 14:08
S40	2541	@ad<="20030807" variable same (data adj rate) control function	US-PGPUB; USPAT	AND	OFF	2007/04/13 14:09

S41	807	@ad<="20030807" variable same (data adj rate) control with function	US-PGPUB; USPAT	AND	OFF	2007/04/13 14:09
S42	35	@ad<="20030807" variable with (data adj rate) control inversely adj proportional "370"/\$.ccls.	US-PGPUB; USPAT	AND	OFF	2007/04/14 20:52
S43	0	("2005/0030957").URPN.	USPAT	AND	OFF	2007/04/13 14:12
S44	0	("2005/0030957").URPN.	USPAT	AND	OFF	2007/04/13 14:13
S45	2	@ad<="20030807" variable with (data adj rate) control inversely adj proportional "370"/229,230,230.1,231,233,235.ccls.	US-PGPUB; USPAT	AND	OFF	2007/04/14 20:52
S46	418	@ad<="20030807" (data adj rate) with rang\$2 transmission resolution	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:24
S47	24	@ad<="20030807" (data adj rate) with rang\$2 transmission with resolution	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:25
S48	6	@ad<="20030807" (data adj rate) near5 rang\$2 transmission with resolution	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:27
S49	1303	@ad<="20030807" (data adj rate) near5 rang\$2	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:27
S50	101	@ad<="20030807" (data adj rate) near5 ranges	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:28
S51	49	@ad<="20030807" (data adj rate) near5 ranges mbps	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:41
S52	1	@ad<="20030807" ((data adj rate) near5 ranges) same table gbps	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:42
S53	11	@ad<="20030807" ((data adj rate) near5 ranges) same table	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:44
S54	11	@ad<="20030807" ((data adj rate) with ranges) same table	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:44
S55	0	@ad<="20030807" ((data adj rate) with ranges) same (1000mbps)	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:45
S56	0	@ad<="20030807" ((data adj rate) with ranges) same ("1000" mbps)	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:45

S57	3	@ad<="20030807" ((data adj rate) with ranges) same (gbps)	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:46
S58	173	@ad<="20030807" ((data adj rate) with ranges)	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:46
S59	173	@ad<="20030807" (data adj rate) with ranges	US-PGPUB; USPAT	AND	OFF	2007/04/15 11:57
S60	7	@ad<="20030807" (data adj rate) with ranges gbps	US-PGPUB; USPAT	AND	OFF	2007/04/15 12:02
S61	4	@ad<="20030807" (data adj rate) with ranges gbps mbps	US-PGPUB; USPAT	AND	OFF	2007/04/15 12:03
S62	317	@ad<="20030807" (data near3 rate) with ranges	US-PGPUB; USPAT	AND	OFF	2007/04/15 12:03
S63	8	@ad<="20030807" (data near3 rate) with ranges gbps	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:56
S64	26	@ad<="20030807" (data near3 rate) same ranges gbps	US-PGPUB; USPAT	AND	OFF	2007/04/15 12:18
S65	5	@ad<="20030807" (data near3 rate) segmented near data near rate\$2	US-PGPUB; USPAT	AND	OFF	2007/04/15 12:28
S66	2	@ad<="20030807" (data adj rate) near5 ranges mbps near3 gbps	US-PGPUB; USPAT	AND	OFF	2007/04/15 12:29
S67	0	@ad<="20030807" hou-cheng-liang.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:56
S68	0	@ad<="20030807" hou-chengliang.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:56
S69	0	@ad<="20030807" "hou-chengin."	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:56
S70	0	@ad<="20030807" "hou-cheng.in."	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:56
S71	0	"hou-cheng.in."	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:56
S72	0	"hou-cheng-liang.in."	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:57

S73	0	"hou-cheng.in."	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:57
S74	0	hou-cheng.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:57
S75	0	hou-cheng-l.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:57
S76	0	hou-liang.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:57
S77	1588	hou.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:57
S78	0	hou-c.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:58
S79	2	cheng-hou.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:58
S80	0	liang-cheng-hou.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:58
S81	0	hou-liang-cheng.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:58
S82	0	hou-cheng.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:58
S83	0	hou-liang.in.	US-PGPUB; USPAT	AND	OFF	2007/04/15 17:58
S84	42	@ad<="20030807" variable with (data near3 rate) variable near4 resolution	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:53
S85	26	@ad<="20030807" variable with (data near3 rate) variable near2 resolution	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:53
S86	14	@ad<="20030807" variable with (data near3 rate) variable adj resolution	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:53
S87	20	@ad<="20030807" transmission with (data near3 rate) variable adj resolution	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:54
S88	1	@ad<="20030807" transmission with (data near3 rate) variable near4 resolution near rate\$2	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:55

S89	0	@ad<="20030807" transmission with (data near3 rate) variable adj resolution near rate\$2	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:56
S90	0	@ad<="20030807" (transmission near4 port) with (data near3 rate) variable adj resolution	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:56
S91	0	@ad<="20030807" (transmission near4 port) with rate variable adj resolution	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:56
S92	0	@ad<="20030807" (transmission near4 port) with rate variable near3 resolution	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:56
S93	13	@ad<="20030807" port near4 rate resolution near rate\$2	US-PGPUB; USPAT	AND	OFF	2008/05/27 15:57
S94	0	@ad<="20030807" port near2 data with rate variable with (resolution near2 rate\$2)	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:00
S95	47	@ad<="20030807" variable with (resolution near2 rate\$2)	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:00
S96	6	@ad<="20030807" (variable near3 data adj rate\$3) with increment\$4	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:03
S97	24	@ad<="20030807" (variable near6 data near2 rate\$3) with increment\$4	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:05
S98	33	@ad<="20030807" (data near2 rate\$3) with (increment\$4 near4 chang\$4)	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:07
S99	48	@ad<="20030807" (data near2 rate\$3) with (increment\$4 near2 increas\$4)	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:13
S100	919	@ad<="20030807" (data near2 rate\$3) with increment\$4	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:18
S101	11	@ad<="20030807" (data near2 rate\$3) with (increment\$4 near5 variable)	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:18
S102	420	@ad<="20030807" data near2 rate\$3 near4 increment\$4	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:21
S103	3	@ad<="20030807" data near2 rate\$3 near4 increment\$4 port near transmission	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:21
S104	14	@ad<="20030807" data near2 rate\$3 near4 increment\$4 port near8 transmission	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:28

S105	6	@ad<="20030807" (data near2 rate\$3 near4 increment \$4) with fixed	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:29
S106	17	@ad<="20030807" (fixed near3 data near2 rate\$3) with increment\$4	US-PGPUB; USPAT	AND	OFF	2008/05/27 16:30
S107	18	@ad<="20030807" (fixed near3 data near2 rate\$3) with increment\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/05/27 16:31
S108	5	@ad<="20030807" (fixed near3 data near2 rate\$3) same (increment\$4 near6 increas\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/05/27 16:35
S109	193	@ad<="20030807" (data near2 rate\$3) same (increment \$4 near6 increas\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/05/27 16:37
S110	48	@ad<="20030807" (data near2 rate\$3) with (increment\$4 near2 increas\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2008/05/27 16:37
S111	2	(data near2 rate\$3 near4 increment\$4 port near8 transmission).clm.	US-PGPUB; USPAT	AND	OFF	2008/10/08 11:23
S112	103	@ad<="20030807" (data near2 rate\$3) (increment\$4 near2 increas\$5) storing with register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:31

S113	0	@ad<="20030807" (data near2 rate\$3) (increment\$4 near2 increas\$5) with (storing with register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:31
S114	781	@ad<="20030807" (data near2 rate\$3) (increment\$4 near2 value\$2) with (register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:32
S115	41	@ad<="20030807" (data near2 rate\$3) (increment\$4 near2 value\$2) with (storing near5 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:32
S116	31	@ad<="20030807" (data near2 rate\$3) (increment\$4 near2 value\$2) with (storing near2 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:32
S117	31	@ad<="20030807" (data near2 rate\$3) (increment\$4 near2 value\$2) with (storing near2 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:32
S118	11	@ad<="20030807" (data near2 rate\$3) with (increment\$4 near2 value\$2) (storing near2 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:37

S119	6	@ad<="20030807" data with (increment\$4 near2 value \$2) (storing near2 rate\$2 near5 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:42
S120	0	@ad<="20030807" rate\$2 with (increment\$4 near2 increase) (storing near2 rate\$2 near5 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:44
S121	10	@ad<="20030807" rate\$2 with (increment\$4 near2 increase) (storing near2 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:44
S122	109	@ad<="20030807" rate\$2 with (increment\$4 near4 value \$2) (storing near2 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:45
S123	84	@ad<="20030807" rate\$2 with (increment\$4 near2 value \$2) (storing near2 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:45
S124	41	@ad<="20030807" rate\$2 with (increment\$4 near2 value \$2) (storing near2 register\$2) data with transmi\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:45

S125	19	@ad<="20030807" (data near7 transmi\$6) with (increment \$4 near2 value\$2) (storing near2 register\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:49
S126	57	@ad<="20030807" register with (incremental near6 value \$2) data near5 rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:52
S127	49	@ad<="20030807" register with (incremental near2 value \$2) data near5 rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:52
S128	42	@ad<="20030807" register with (incremental near2 value \$2) data near2 rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/05/30 13:52
S129	42	@ad<="20030807" register with (incremental near2 value \$2) data near2 rate\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 13:23
S130	72	@ad<="20030807" (stor\$3 with rate\$2) with (increment \$4 near2 value\$2) register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:34

S131	12	@ad<="20030807" (stor\$3 near2 rate\$2) with (increment\$4 near2 value\$2) register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:35
S132	129	@ad<="20030807" (stor\$3 near2 rate\$2) (increment\$4 near2 value\$2) with register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:36
S133	80	@ad<="20030807" (stor\$3 near2 data near4 rate\$2) (increment\$4 near2 value\$2) with register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:36
S134	38	@ad<="20030807" (stor\$3 near2 data near4 rate\$2) (increment\$4 near2 value\$2) with register\$2 request\$4 select\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:37
S135	515	@ad<="20030807" (data near4 rate\$2) (increment\$4 near2 value\$2) with register\$2 request\$4 select\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:40
S136	170	@ad<="20030807" (data near4 rate\$2) (increment\$4 near2 value\$2) with register\$2 request\$4 with select\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:40

S137	2	@ad<="20030807" (request\$4 near6 select\$4) with (data near4 rate\$2) (increment\$4 near2 value\$2) with register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:40
S138	78	@ad<="20030807" select\$4 with (data near4 rate\$2) (increment\$4 near2 value\$2) with register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:42
S139	240	@ad<="20030807" select\$4 (data near4 rate\$2) with register (increment\$4 near2 value\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:48
S140	0	@ad<="20030807" select\$4 (data near4 rate\$2 near5 register) with (increment\$4 near2 value\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:49
S141	2	@ad<="20030807" select\$4 (data near4 rate\$2 near5 register) same (increment\$4 near2 value\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:49
S142	287	@ad<="20030807" select\$4 (data near4 rate\$2 near5 register) same value\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:49

S143	24	@ad<="20030807" select\$4 (data near4 rate\$2 near5 register) with increment\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 15:49
S144	0	@ad<="20030807" (incremental near5 data near4 rate\$2) with (stor\$5 near6 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:06
S145	39	@ad<="20030807" (incremental near5 data) with (stor\$5 near6 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:06
S146	2	@ad<="20030807" (incremental near5 rate\$2) with (stor\$5 near6 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:07
S147	13	@ad<="20030807" (incremental near5 rate\$2) same (stor\$5 near6 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:07
S148	1	@rlad<="20030807" (incremental near5 rate\$2) same (stor\$5 near6 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:08

S149	1	@prad<="20030807" (incremental near5 rate\$2) same (stor\$5 near6 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:08
S150	10	@prad<="20030807" (incremental near5 rate\$2) with data (stor\$5 near6 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:08
S151	6	@prad<="20030807" (incremental near5 data) with rate \$2 (stor\$5 near6 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:09
S152	0	@prad<="20030807" (incremental near5 data) same (rate \$2 with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:09
S153	45	@ad<="20030807" (incremental near5 rate\$2) with data (stor\$5 near6 register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:09
S154	7	@ad<="20030807" (incremental near5 data) same (rate\$2 with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:12

S155	25	@ad<="20030807" (incremental near5 value\$2) same (rate\$2 with register)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/04 16:12
S156	4564983	"42"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:10
S157	0	@ad="20030807" increment\$4 with (data near4 rate\$2) register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:10
S158	587	@ad<="20030807" increment\$4 with (data near4 rate\$2) register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:11
S159	420	@ad<="20030807" increment\$4 with (data near2 rate\$2) register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:11
S160	41	@ad<="20030807" increment\$4 with (data near2 rate\$2) register\$2 request with select\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:11

S161	2	"6219343".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/06/05 14:19
S162	0	@ad<="20030807"rang\$2 with (data near2 rate\$2) register\$2 request with select\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:19
S163	180	@ad<="20030807" rang\$2 with (data near2 rate\$2) register\$2 request with select\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:21
S164	12	@ad<="20030807" (rang\$2 near5 stor\$5) with (data near2 rate\$2) register\$2 request with select\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:22
S165	43	@ad<="20030807" (rang\$2 near5 stor\$5) with (data near2 rate\$2) register\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:22
S166	2201	@ad<="20030807" data with rate\$2 incremental with chang\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:24

S167	915	@ad<="20030807" data near2 rate\$2 incremental near2 chang\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:24
S168	159	@ad<="20030807" data near2 rate\$2 incremental near2 chang\$4 register with valu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:25
S169	159	@ad<="20030807" data near2 rate\$2 incremental near2 chang\$4 register with valu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:25
S170	3	@ad<="20030807" (data near2 rate\$2) same (incremental near2 chang\$4) register with valu\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:25
S171	151	@ad<="20030807" (data near2 rate\$2) (incremental near2 value\$2) register with stor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:26
S172	531	(data near2 rate\$2) with (increment\$3) register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:32

S173	79	(data near2 rate\$2) with (incremental) register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:32
S174	2102	(data near2 rate\$2) with variable register	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:40
S175	0	(data near2 rate\$2) with (variable near4 range\$2) register near5 stor%4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:41
S176	0	(data near2 rate\$2) with (variable near4 range\$2) register near5 stor4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:41
S177	7	(data near2 rate\$2) with (variable near4 range\$2) register near5 stor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:41
S178	26	(data near2 rate\$2) with (variable near4 range\$2) value\$2 near5 stor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:41

S179	34	(data near2 rate\$2) with (variable near4 range\$2) value\$2 with stor\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:42
S180	82	(data near2 rate\$2) with (variable near4 range\$2) value\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:43
S181	12	(data near2 rate\$2) with (variable near4 range\$2 near5 value\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:43
S182	12	(data near2 rate\$2) with (variable near4 range\$2 near5 value\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:43
S183	34	(data near2 rate\$2) with (variable near4 range\$2) request \$4 with rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:44
S184	18	(data near2 rate\$2) with (variable near4 range\$2) request \$4 with select\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:46

S185	44	(data near2 rate\$2) with (variable near4 range\$2) request \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:47
S186	1360	(data near2 rate\$2) with (variable) request\$4 with rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:47
S187	1063	(data near2 rate\$2) with range\$2 request\$4 with rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:48
S188	560	(data near2 rate\$2) with range\$2 request\$4 near3 rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:48
S189	282	(data near2 rate\$2) with range\$2 request\$4 near3 rate\$2 @ad<="20030807"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:48
S190	3	(data near2 rate\$2) with range\$2 request\$4 near3 rate\$2 @ad<="20030807" select with optimum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:49

S191	71	(data near2 rate\$2) with range\$2 request\$4 near3 rate\$2 @ad<="20030807" optimum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 14:50
S192	1255	(data near2 rate\$2) with range\$2 @ad<="20030807" optimum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 15:27
S193	144	(data near2 rate\$2) with range\$2 @ad<="20030807" "100" adj mbps	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 15:28
S194	137	(data near2 rate\$2) with range\$2 @ad<="20030807" "100" adj mbps transmission	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 15:29
S195	73	(data near2 rate\$2) with range\$2 @ad<="20030807" "100" adj mbps transmission near4 rate\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2009/06/05 15:29

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	41	(incremental near4 transmission) with rate\$2	USPAT; UPAD	AND	ON	2010/05/24 15:40
L10	7	(incremental near4 transmission) with rate\$2 register\$1	USPAT; UPAD	AND	ON	2010/05/24 15:40

5/ 24/ 2010 3:42:47 PM

C:\ Documents and Settings\ rjain1\ My Documents\ EAST\ Workspaces\ 10694732.wsp